

```
<domain type='kvm'>
  <name>{{name}}</name>
  <memory unit='MiB'>{{ram}}</memory>
  <vcpu placement='static'>{{cpu}}</vcpu>
  <os>
    <type arch='x86_64' machine='pc-i440fx-rhel7.0.0'>hvm</type>
    <boot dev='cdrom' />
    <boot dev='hd' />
  </os>
  <features>
    <acpi />
    <apic />
  </features>
  <cpu mode='custom' match='exact'>
    <model fallback='allow'>Westmere</model>
  </cpu>
  <clock offset='utc'>
    <timer name='rtc' tickpolicy='catchup' />
    <timer name='pit' tickpolicy='delay' />
    <timer name='hpet' present='no' />
  </clock>
  <on_poweroff>destroy</on_poweroff>
  <on_reboot>restart</on_reboot>
  <on_crash>restart</on_crash>
  <pm>
    <suspend-to-mem enabled='no' />
    <suspend-to-disk enabled='no' />
  </pm>
  <devices>
    <emulator>/usr/libexec/qemu-kvm</emulator>
    <disk type='file' device='disk'>
      <driver name='qemu' type='qcow2' />
      <source file='{{mountpoint}}/{{name}}/WinXP-ICS.qcow2' />
      <target dev='hda' bus='ide' />
      <address type='drive' controller='0' bus='0' target='0' unit='0' />
    </disk>
    <controller type='usb' index='0' model='ich9-ehci1'>
      <address type='pci' domain='0x0000' bus='0x00' slot='0x06' function='0x7' />
    </controller>
    <controller type='usb' index='0' model='ich9-uhci1'>
      <master startport='0' />
      <address type='pci' domain='0x0000' bus='0x00' slot='0x06' function='0x0' multifunction='on' />
    </controller>
    <controller type='usb' index='0' model='ich9-uhci2'>
      <master startport='2' />
      <address type='pci' domain='0x0000' bus='0x00' slot='0x06' function='0x1' />
    </controller>
    <controller type='usb' index='0' model='ich9-uhci3'>
```

```
<master startport='4'/>
<address type='pci' domain='0x0000' bus='0x00' slot='0x06' function='0x2'/>
</controller>
<controller type='pci' index='0' model='pci-root'/>
<controller type='ide' index='0'>
<address type='pci' domain='0x0000' bus='0x00' slot='0x01' function='0x1'/>
</controller>
<interface type='network'>
<mac address='b2:61:6e:73:6c:{{iphex}}'/>
<source network='bblv'/>
<model type='e1000'/>
<address type='pci' domain='0x0000' bus='0x00' slot='0x03' function='0x0'/>
</interface>
<serial type='pty'>
<target port='0'/>
</serial>
<console type='pty'>
<target type='serial' port='0'/>
</console>
<input type='mouse' bus='ps2'/>
<input type='keyboard' bus='ps2'/>
<graphics type='vnc' port='-1' autoport='yes'/>
<sound model='ich6'>
<address type='pci' domain='0x0000' bus='0x00' slot='0x04' function='0x0'/>
</sound>
<video>
<model type='qxl' ram='65536' vram='65536' vgamem='16384' heads='1'/>
<address type='pci' domain='0x0000' bus='0x00' slot='0x02' function='0x0'/>
</video>
<memballoon model='virtio'>
<address type='pci' domain='0x0000' bus='0x00' slot='0x07' function='0x0'/>
</memballoon>
<input type='tablet' bus='usb'></input></devices>
</domain>
```